

Compliance against Patient Safety Solutions Wales - Notices - Issued after April 2014

11/04/2023

Notices as at: 11/04/2023												
PSN No:	Title of Safety Solution	Compliance Date	ABHB	BCUHB	C&VU	CTMUHB	HDHB	Powys	PHW	SBUHB	Velindre	WAST
PSN001	Risk of harm relating to interpretation and action on Protein Creatinine Ratio (PCR) results in pregnant women. NB not part of returns compliance.	31/07/2014	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN002	The Surgical Management of Urinary Incontinence (UI) and Pelvic Organ Prolapse (POP)	31/07/2014	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN003	Placement devices for nasogastric tube insertion DO NOT replace initial position checks	30/01/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN004	Risk of death and serious harm from delays in recognising and treating ingestion of button batteries	19/01/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN005	Risk of distress and death from inappropriate doses of naloxone in patients on long-term opioid/opiate treatment	30/01/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN006	Risk of hypothermia for patients on continuous renal replacement therapy	30/04/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN007	Risk of death or serious harm from accidental ingestion of potassium permanganate	31/05/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN008	Risk of death from asphyxiation by accidental ingestion of fluid/food thickening powder	28/05/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN009	Awareness of NICE clinical guidelines on head injuries	31/05/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN010	Failure to act on known contraindications to Low Molecular Weight Heparins	25/06/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN011	Risk of associating ECG records with wrong patients	18/06/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN012	Adrenal insufficiency (addison's disease) in adults - information for general practitioners	12/06/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN013	Managing risks during the transition period to new ISO connectors for medical devices used for enteral feeding and neuraxial procedures	13/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	Compliant	N/A
PSN014	Residual anaesthetic drugs in cannulae and intravenous lines	31/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN015	The storage of medicines: Refrigerators	31/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN016	Risk of inadvertently cutting in-line (or closed) suction catheters	31/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN017	Risk of using vacuum and suction drains when not clinically indicated	31/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN018	Risk of severe harm and death from unintentional interruption of non-invasive ventilation	31/08/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A

PSN No:	Title of Safety Solution	Compliance Date	ABHB	BCUHB	C&VU	CTMUHB	HDHB	Powys	PHW	SBUHB	Velindre	WAST
PSN019	Harm from delayed updates to ambulance dispatch and satellite navigation systems	30/09/2015	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	Compliant
PSN020	Minimising risks of omitted and delayed medicines for patients receiving homecare services	27/11/2015	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN021	Risk of death and serious harm from falling from hoists	15/02/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN022	Risk of death from the inappropriate use and disposal of fentanyl patches	31/01/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN023	The importance of vital signs during and after restrictive interventions/manual restraint	12/02/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN024	Risk of using different airway humidification devices simultaneously	01/03/2016	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN025	Risk of death or severe harm due to inadvertent injection of skin preparation solution	04/04/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN026	Positive patient identification	13/05/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN027	Risk of severe harm or death when desmopressin is omitted or delayed in patients with cranial diabetes insipidus	08/04/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN028	Medicine Reconciliation - Reducing the risk of serious harm	31/03/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN029	Standardising the early identification of acute kidney care	08/04/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN030	THIS HAS BEEN REPLACED BY PSN055 The safe storage of medicines: Cupboards											
PSN031	Risk of Patient Safety Incidents resulting from errors in the British National Formulary for Children 2015-16 and British National Formulary 70	31/05/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN032	Risk of Patient harm from an interaction between miconazole and coumarin anticoagulants	10/06/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN033	Risk of death and serious harm from failure to recognise acute coronary syndromes in Kawasaki disease patients	29/07/2016	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN034	Supporting the introduction of the National Safety Standards for Invasive Procedures	28/09/2017	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A
PSN036	Reducing the risk of oxygen tubing being connected to airflow meters	04/08/2017	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN037	Resources to support the safety of girls and women who are being treated with Valproate	06/10/2017	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN035	Risk of death and severe harm from ingestion of superabsorbent polymer gel granules	16/10/2017	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN038	Risk of severe harm and death from infusing Total Parenteral Nutrition too rapidly in babies	08/12/2017	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN039	Safe Transfusion Practice - Use a bedside checklist	15/02/2018	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A

PSN No:	Title of Safety Solution	Compliance Date	ABHB	BCUHB	C&VU	CTMUHB	HDHB	Powys	PHW	SBUHB	Velindre	WAST
PSN040	Confirming removal or flushing of lines and cannulae after procedures	12/09/2018	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN041	Risk of death and severe harm from failure to obtain and continue flow from oxygen cylinders harm	23/04/2018	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN042	Risk of death or severe harm from inadvertent intravenous administration of solid organ perfusion fluids	11/06/2018	N/A	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	N/A
PSN043	THIS HAS BEEN REPLACED BY PSN049 Supporting the introduction of the Tracheostomy Guidelines for Wales											
PSN044	Resources to support safer care for full-term babies	21/10/2018	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN045	Resources to support safer modification of food and fluid	01/04/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN046	Resources to support safer bowel care for patients at risk of autonomic dysreflexia	29/03/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	N/A
PSN047	Management of life threatening bleeds from arteriovenous fistulae and grafts	26/05/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN048	Risk of harm from inappropriate placement of pulse oximeter probes	29/03/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN049	THIS NOTICE REPLACES PSN043 Supporting the introduction of the Tracheostomy Guidelines for Wales - Adults & Children	01/07/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN050	Assessment and management of babies who are accidentally dropped in hospital	08/12/2019	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	Compliant
PSN051	Depleted batteries in intraosseous injectors	28/08/2020	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	N/A	Compliant	N/A	Compliant
PSN052	Risk of death and severe harm from ingestion of superabsorbent polymer gel granules	31/08/2020	Compliant	N/A	Compliant	Compliant	Compliant	Compliant	N/A	Non-compliant	N/A	N/A
PSN053	Risk of harm to babies and children from coin/button batteries in hearing aids and other hearing devices	05/11/2020	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN054	Risk of death from unintended administration of sodium nitrite	12/11/2020	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN055	THIS NOTICE REPLACES PSN030 Safe Storage of Medicines: Cupboards	30/09/2021	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	Non-compliant	Compliant
PSN056	Foreign Body Aspiration during intubation, advanced airway management or ventilation	01/07/2021	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN057	Emergency Steroid Therapy Cards: Supporting Early Recognition & Management of Adrenal Crisis in Adults and Children	31/01/2022	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN058	Urgent assessment/treatment following ingestion of 'super strong' magnets	13/10/2021	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	Compliant

PSN No:	Title of Safety Solution	Compliance Date	ABHB	BCUHB	C&VU	CTMUHB	HDHB	Powys	PHW	SBUHB	Velindre	WAST
PSN059	Eliminating the risk of inadvertent connection to medical air via a flowmeter	16/12/2021	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN060	Reducing the risk of inadvertent administration of oral medication by the wrong route	20/12/2021	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	Compliant	Compliant
PSN062	Elimination of bottles of liquefied phenol 80%	25/02/2022	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN061	Reducing the risk of patient harm - standardised strength of phenobarbital oral liquid	28/02/2022	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN064	Handlebar injuries in the paediatric abdomen	28/02/2022	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	Compliant
PSN063	Deployment of NREx (ISO 80369-6) compliant devices in Wales (2021)	31/03/2022	Compliant	Compliant	Compliant	Compliant	Compliant	Compliant	N/A	Compliant	N/A	N/A
PSN065	The safe use of ultrasound gel to reduce infection risk	28/02/2022	Compliant	Non-compliant	Compliant	Non-compliant	Non-Compliant	Compliant	Compliant	Non-Compliant	Compliant	Non-compliant